

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	60	(load\$3 near5 class\$2 with (default near3 class near3 loader))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 17:16
L2	2	(load\$3 near5 class\$2 near5 (remote server\$1) with (default near3 class near3 loader))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 17:17
L3	2	"6470494".pn. and (default near3 class near3 loader\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 17:18
L4	2	"6470494".pn. and (default near3 class near3 loader\$1) and (dynamic near3 class near3 loader)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/12 17:19


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)




[Ad](#)  
[Sc](#)  
[Sc](#)

**Scholar** [All articles](#) - [Recent articles](#) Results **1 - 10** of about **202** for **dynamic remote load class loa**

#### All Results

[L Gong](#)
[M Mueller](#)
[H Prafullchand...](#)
[R Schemers](#)
[D Wong](#)

#### [Class loader - all 3 versions »](#)

VS Chan, SS Chiang, DK Stokes, LW Theivendra - US Patent 6,470,494, 2002 - Google Patents

... 28 from a **remote** secondary storage device over a network, ... **class loader 40** to **load** the **class** by calling the **load** method of the **dynamic class loader 40** (eg ...

[Cited by 7](#) - [Related Articles](#) - [Web Search](#)

#### [Going Beyond the Sandbox: An Overview of the New Security Architecture in the Java TM Development ... - all 38 versions »](#)

L Gong, M Mueller, H Prafullchandra, R Schemers - USENIX Symp. on Internet Technologies and Systems, 1997 - unix.org

... resources such as the **le** system while downloaded **remote** code is not ... The **AppletClassLoader class** used by the appletviewer in JDK1.2 will **load** classes from ...

[Cited by 290](#) - [Related Articles](#) - [Web Search](#)

#### [Method for managing distributed applications and distributed application manager - all 3 versions »](#)

PB Monday, MA Zipse - US Patent 6,263,377, 2001 - Google Patents

... neutral, portable, high-performance, multithreaded, **dynamic** language. ... is requested from the **REMOTE CLASS LOADER** as indicated at ... to clock 408 to **load** the **CLASS** ...

[Cited by 4](#) - [Related Articles](#) - [Web Search](#)

#### [\[PS\] Design and implementation of parallel Java with global object space - all 5 versions »](#)

LV Kale, M Bhandarkar, T Wilmarth - Proceedings of the International Conference on Parallel and ..., 1997 - charm.cs.uiuc.edu

... Currently our parallel Java implementation uses a quasi-**dynamic** random **load**-balancing

strategy ... processor number is not spec- ied for the **remote** object at ...

[Cited by 30](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

#### [Archiving tool - all 3 versions »](#)

VS Chan, SS Chiang, DK Stokes, LW Theivendra - US Patent 6,633,892, 2003 - Google Patents

... tools and by multiple, possibly **remote**, users ... one of the hash tables of the **dynamic class loader 40** maintains ... **Load class** bytes from current set of **class** byte ...

[Cited by 1](#) - [Related Articles](#) - [Web Search](#)

#### [Incorporating native code in Java archive files - all 3 versions »](#)

PH Abbott - US Patent 6,542,887, 2003 - Google Patents

... than downloading an uncompressed **class** from a **remote** server ... such native code typically

comprises **dynamic** link libraries ... responsive to a request to **load** a native ...

[Related Articles](#) - [Web Search](#)

#### [Algorithmic Skeletons for Metacomputing - all 2 versions »](#)

M Alt, S Gorlatch - LECTURE NOTES IN COMPUTER SCIENCE, 2003 - Springer

... frontend and node servers, the **dynamic class loading** would still ... in the local **classpath**

when a **remote** method is ... to retrieve the classfile and **load** the **class**. ...

